


Cord Lift WireFree™

Combine beauty and function to automate any décor



HOME
MOTION BY

somfy®

Increase the energy savings and efficiency that pleated/cellular shades offer with the Cord Lift WireFree™ motor.

The Cord Lift WireFree™ motor is uniquely designed to automate pleated and cellular shades effortlessly.

Cellular / Pleated Shades

Raise and lower shades with ease. The motor is completely concealed within the headrail and easily installs with standard manufacturer hardware.



- Built-in Radio Technology Somfy® (RTS) control
- Compatible with full range of Somfy RTS controls
- Programmable limit (stop) settings via transmitter or wall switch
- Multi-channel radio capability with individual and group control

More than 10 million installations throughout the world

Radio Technology Somfy® (RTS) Revolutionizing home comfort control

A patented radio control platform which enables users to adjust window coverings from a distance of 65 ft. without the need to point or aim the transmitter.



Five Channel Pure Finish


Also available in:
Lounge Finish
Pure Finish
Patio Finish



Radio Technology Somfy® RTS Controls.

Control individual shades or individual groups of shades with a multi-channel controls.

DecoFlex WireFree™ Table Top



DecoFlex WireFree™ RTS Wall Switches Five Channel

White Finish
1, 2, 3 & 4 Channel versions also available



Also available in:
Ivory Finish and Black Finish

Sunis Indoor WireFree™ Sun Sensor



Thermo Sunis Indoor WireFree™ Sun & Temperature Sensor

CORD LIFT WIREFREE™ MOTOR SPECIFICATIONS

MAXIMUM SUSPENDED WEIGHT	UP TO 15 LBS.
Maximum Shade Size:	120"x120" based on a 3/8 double cell room darkening fabric utilizing Roll Ease spears/traversing shaft cord lift systems.
Voltage	12 VDC
Current	1.2 A
Power	8AA Lithium Batteries or 12V DC Plug-in Transformer
Limit Setting	Electronic encoder based
Radio Frequency (built-in)	433 MHz
Motor Dimensions	Length: 4.19in. (113.95mm); Height: 1.23in. (31.24mm)
Speed	72 rpm
Torque	.34 Nm

MOTOR & ACCESSORIES

CATALOG	DESCRIPTION	*Not adaptable to all EasyRise Systems
1000494	Cord Lift WireFree™ Radio Technology Somfy® Motor	
SHAFT ADAPTERS (REQUIRED)		
9013269	4mm Square Shaft Adapter Fits: New Graber Easy Up®	
9013283	Spears Shaft Adapter Fits: Comfortex/Kensington Omni-Rise®, Kirsch/Levolor Accordia, Roll Ease 1.5" VersaRail & Graber old style EasyUp® systems.	
9013284	Tape Reel Shaft Adapter Fits: Hunter Douglas Easy Rise™ *, Kensington Deluxe Cord Loop® System	
9013285	5mm Hex Shaft Adapter for Somfy CTS Fits: RollEase 1.5" VersaRail®, Comfort/Kensington Omni-Rise, Graber old style EasyUp®, Hunter Douglas Easy Rise™, Kensington Deluxe Cord Loop® systems	
9013268	5mm Square Shaft Adapter Fits: Hunter Douglas, Easy Glide 3/8 Duette	
HEADRAIL ADAPTERS-OPTIONAL		
9013287	Fits: Hunter Douglas EasyRise™*	
9013288	Fits: New Graber EasyUp Cord Loop	
9013443	Fits: Kensington Deluxe Cord Loop®	
9013444	Fits: Hunter Douglas 3/8" Easy Glide Duette*	

POWER SECTION

Use of transformer is recommended for larger size shades.

1822192	12 V DC Plug-in transformer with 25ft. cable (white)
9014020	12 V DC Reloadable Battery Tube (batteries not included)
9014834	8 AA Battery Package
9015580	Dual Battery Tube Harness to connect 2 reloadable battery tubes



www.somfysystems.com

Somfy Systems, Inc.
North America Headquarters

121 Herrod Blvd
Dayton, NJ 08810
(P) 800 222 SOMFY
(P) 609 395 1300
(F) 609 395 1776

Florida

6100 Broken Sound Pkwy
Northwest Suite 14
Boca Raton, FL 33487
(P) 877 227 6639
(P) 561 995 8376
(F) 561 995 7502

California

15291 Barranca Pkwy
Irvine, CA 92618
(P) 877 727 6639
(F) 949 727 3775

Somfy Ulc

Somfy Canada

6315 Shawson Drive Unit 1
Mississauga, Ontario L5t1j2
(P) 800 667 6639
(P) 905 564 6446
(F) 905 564 2679

somfy[®]